

## United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/628,065	07/25/2003	Paul Zieske	DI-5924	4163
29200	7590 07/21/2005		EXAMINER	
BAXTER HEALTHCARE CORPORATION			PESELEV, ELLI	
DF2-2E	1 BAXTER PARKWAY DF2-2E DEERFIELD, IL 60015		ART UNIT	PAPER NUMBER
DEERFIELD,			1623	
			DATE MAILED: 07/21/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Office Action Summers	10/628,065	ZIESKE ET AL.				
Office Action Summary	Examiner	Art Unit				
	Elli Peselev	1623				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 27 Ju	<u>ne 2005</u> .					
2a) This action is <b>FINAL</b> . 2b) ⊠ This	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)  Claim(s) 1-3,5-22,24-43 and 45 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration.  5)  Claim(s) is/are allowed.  6)  Claim(s) 1-3, 5-8, 1121, 24-26, 28-35 and 37-43 is/are rejected.  7)  Claim(s) 9,10,22,27,36 and 45 is/are objected to.  8)  Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary (					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:	te atent Application (PTO-152)				

Application/Control Number: 10/628,065

Art Unit: 1623

Claims 1-3, 5-8, 11-21, 24-26, 28-35 and 37-43 rejected under 35 U.S.C. 103(a) as being unpatentable over the European Patent No. 0 951 915 A2.

The European Patent discloses a dialysis solution comprising a first acidified solution containing glucose having pH of between 3 and 6 and a second solution containing buffer at a pH of approximately 6. The only difference between the claimed solution and the reference's solution is that pH of the second solution in the claimed composition is less than 5.5. However, pH of approximately 6 and a pH of 5.4 are a close variation of each other and a person having ordinary skill in the art at the time the instant invention was made would have been motivated to vary the pH slightly in order to produce a desired solution.

Applicant's arguments filed June 27, 2005 have been considered but have not been found persuasive. The Affidavit submitted by Applicant states in the European if the pH of the buffer solution is less that 5.5, this would require a pH of the glucose solution to be greater than 6. This argument has not been found persuasive because the instant claims fail to state the pH of the dextrose solution. The terminology "acidic solution including a dextrose concentrate" encompasses a pH of 6.5. Therefore, the claimed composition is still seen to be prima facie obvious over the European Patent.

Claims 9, 10, 22, 27, 36 and 45 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Application/Control Number: 10/628,065

Art Unit: 1623

Page 3

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elli Peselev whose telephone number is (571) 272-0659. The examiner can normally be reached on 8.00-4.30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Wilson can be reached on (571) 272-0661. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Elli Peselev

ELLI PESELEV RIMARY EXAMINER GROUP 1200